

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1	("6996589").PN.	USPAT; USOCR	OR	OFF	2006/04/10 08:54
L2	1746	707/101.ccls.	USPAT	OR	OFF	2006/04/10 08:54
L3	75	707/101.ccls. and (schema\$1 and xml)	USPAT	OR	OFF	2006/04/10 08:54
L4	12	707/101.ccls. and (schema\$1 and xml and ((abstract\$3 or exten\$5) with level\$1))	USPAT	OR	OFF	2006/04/10 08:55
S1	200	(abstraction with level\$1) and (pars\$3 with output\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/20 11:44
S2	20	(abstraction with level\$1) and (pars\$3 with output\$4) and (syntax with level\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/20 11:45
S3	2	(abstraction with level\$1) and (pars\$3 with output\$4) and (syntax with level\$1) and (validat\$3 with input\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/20 11:44
S4	20	(abstraction with level\$1) and (pars\$3 with output\$4) and (syntax with level\$1) and ((generat\$3 or creat\$3 or produc\$3 or provid\$3) with output\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/20 11:46
S5	20	(abstraction with level\$1) and (pars\$3 with output\$4) and (syntax with level\$1) and ((generat\$3 or creat\$3 or produc\$3 or provid\$3) with output\$1) and (pars\$3 with input\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/20 11:47
S6	5	(abstraction with level\$1) and (pars\$3 with output\$4) and (syntax with level\$1) and ((generat\$3 or creat\$3 or produc\$3 or provid\$3) with output\$1) and (pars\$3 with input\$1) and validat\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/20 11:47

EAST Search History

S7	4	(abstraction with level\$1) and (pars\$3 with output\$4) and (syntax with level\$1) and ((generat\$3 or creat\$3 or produc\$3 or provid\$3) with output\$1) and (pars\$3 with input\$1) and xml	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/20 11:47
S8	20	(abstraction with level\$1) and (pars\$3 with output\$4) and (syntax with level\$1) and ((generat\$3 or creat\$3 or produc\$3 or provid\$3) with output\$1) and (pars\$3 with input\$1) and (xml or (extensible markup language))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/20 11:49
S9	1	(abstraction with level\$1) and (pars\$3 with output\$4) and (syntax with level\$1) and ((generat\$3 or creat\$3 or produc\$3 or provid\$3) with output\$1) and (pars\$3 with input\$1) and (xml or (extensible markup language)) and (schema with nam\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/20 11:49
S10	5	(abstraction with level\$1) and (pars\$3 with output\$4) and (syntax with level\$1) and ((generat\$3 or creat\$3 or produc\$3 or provid\$3) with output\$1) and (pars\$3 with input\$1) and (xml or (extensible markup language)) and validat\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/20 13:40
S11	2	(abstraction with level\$1) and (pars\$3 with output\$4) and (syntax with level\$1) and ((generat\$3 or creat\$3 or produc\$3 or provid\$3) with output\$1) and (pars\$3 with input\$1) and (xml or (extensible markup language)) and (validat\$3 with pars\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/20 11:49
S12	413	(validat\$3 with parser\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/20 13:41
S13	14	(validat\$3 with parser\$1) and (syntax with level\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/20 13:41
S14	250	SAX with pars\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/21 14:19

EAST Search History

S15	111	(SAX with pars\$) and validat\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/21 14:20
S16	13	(SAX with pars\$ with validat\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/21 14:23
S17	0	(SAX with pars\$ with validat\$4) and (syntax with level\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/21 14:23
S18	11	(SAX with pars\$ with validat\$4) and (syntax)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/21 14:23
S19	9	(SAX with pars\$ with validat\$4) and (abstract\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/21 15:30
S20	1	(SAX with pars\$ with validat\$4) and (abstract\$3 with level\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/21 14:24
S21	9	(SAX with pars\$ with validat\$4) and (abstract\$3) and syntax	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/21 15:32
S22	222	(select\$3 or choos\$3) with abstraction with level\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/21 15:33

EAST Search History

S23	11	((select\$3 or choos\$3) with abstraction with level\$1) and (pars\$3 with input\$1 with output\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/21 15:34
S24	2	((select\$3 or choos\$3) with abstraction with level\$1) and (pars\$3 with input\$1 with output\$1) and ((different or "same") with syntax\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/21 15:35
S25	11	((select\$3 or choos\$3) with abstraction with level\$1) and (pars\$3 with input\$1 with output\$1) and (syntax\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/21 15:36
S26	10	((select\$3 or choos\$3) with abstraction with level\$1) and (pars\$3 with input\$1 with output\$1) and (syntax\$2) and xml	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/21 15:37
S27	10	((select\$3 or choos\$3) with abstraction with level\$1) and (pars\$3 with input\$1 with output\$1) and (syntax\$2) and xml and schema	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/21 15:37
S28	10	((select\$3 or choos\$3) with abstraction with level\$1) and (pars\$3 with input\$1 with output\$1) and (syntax\$2) and (xml with document\$1) and schema	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/22 08:06
S29	115	(pars\$3 with valid\$3 with (structure\$1 or xml) with document\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/21 15:45
S30	29	(pars\$3 with valid\$3 with (structure\$1 or xml) with document\$1 with schema\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/21 15:45

EAST Search History

S31	12	(pars\$3 with valid\$3 with (structure\$1 or xml) with document\$1 with schema\$1) and ((validat\$3 adj parser\$1) or SAX)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/21 16:50
S32	2	(pars\$3 with valid\$3 with (structure\$1 or xml) with document\$1 with schema\$1) and ((validat\$3 adj parser\$1) or SAX) and (cast\$3 with object\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/21 16:52
S33	1	(pars\$3 with valid\$3 with (structure\$1 or xml) with document\$1 with schema\$1) and ((validat\$3 adj parser\$1) or SAX) and (cast\$3 with object\$1) and abstraction	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/21 16:07
S34	1	(pars\$3 with valid\$3 with (structure\$1 or xml) with document\$1 with schema\$1) and ((validat\$3 adj parser\$1) or SAX) and (cast\$3 with object\$1) and abstract\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/21 16:07
S35	22843	(casting with object\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/21 16:52
S36	4	(casting with object\$1) and (syntax with level\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/21 16:52
S37	4	(casting with object\$1) and (syntax\$2 with level\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/21 17:08
S38	18	(casting with (object\$1 or type\$1)) and (syntax\$2 with level\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/21 17:08

EAST Search History

S39	3	(casting with (object\$1 or type\$1)) and (syntax\$2 with level\$1) and (validat\$4 with input\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/21 17:10
S40	2	(casting with (object\$1 or type\$1)) and (syntax\$2 with level\$1) and (validat\$4 with input\$4) and (first with syntax\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/21 17:10
S41	2	(casting with (object\$1 or type\$1)) and (syntax\$2 with level\$1) and (validat\$4 with input\$4) and (first with syntax\$2) and (second with syntax)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/21 17:10
S42	10	((select\$3 or choos\$3) with ((abstraction with level\$1) or (type with cast\$3))) and (pars\$3 with input\$1 with output\$1) and (syntax\$2) and (xml with document\$1) and schema	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/22 08:17
S43	18	((abstraction with level\$1) or (type with cast\$3)) and (pars\$3 with input\$1 with output\$1) and (syntax\$2) and (xml with document\$1) and schema	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/22 08:22
S44	1	((abstraction with level\$1) or (type with cast\$3)) and (pars\$3 with input\$1 with output\$1) and (syntax\$2) and (xml with document\$1) and schema and (validat\$3 adj parser\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/22 08:23
S45	2	((abstraction with level\$1) or (type with cast\$3)) and (pars\$3 with input\$1 with output\$1) and (syntax\$2) and (xml with document\$1) and schema and (validat\$3 with parser\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/22 08:59
S46	2	((abstraction with level\$1) or (type with cast\$3)) and (pars\$3 with input\$1 with output\$1) and (syntax\$2) and (xml with document\$1) and schema and (validat\$3 with parser\$1) and (SAX or (simple adj api))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/22 09:01

EAST Search History

S47	2	((abstraction with level\$1) or (type with cast\$3)) and (pars\$3 with input\$1 with output\$1) and (syntax\$2) and (xml with document\$1) and schema and (validat\$3 with parser\$1) and (SAX or (simple adj api)) and (DOM or (document adj2 object adj2 model\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/22 09:04
S48	2	abstraction with object with markup with definition\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/22 09:11
S49	1	("6772413").PN.	USPAT; USOCR	OR	OFF	2006/03/22 09:16
S50	1	S49 and (validat\$3 with parser\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/22 09:17
S51	0	S49 and (validat\$3 with parser\$1) and ((abstraction with level\$1) or (type with cast\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/22 09:17
S52	0	S49 and (validat\$3 with parser\$1) and ((abstraction with level\$1) or (typ\$3 with cast\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/22 09:19
S53	801	(base with schema)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/22 09:19
S54	203	(base with schema) and ((extend\$3 or extension) with schema)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/22 09:20

EAST Search History

S55	119	((base with schema) same ((extend\$3 or extension) with schema)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/22 09:20
S56	34	((base with schema) same ((extend\$3 or extension) with schema)) and ((abstraction with level\$1) or ((type\$1 or object\$1) with cast\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/22 09:22
S57	34	((base with schema) same ((extend\$3 or extension) with schema)) and ((abstraction with level\$1) or ((type\$1 or object\$1) with cast\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/22 09:24
S58	1	((base with schema) same ((extend\$3 or extension) with schema)) and ((abstraction with level\$1) or ((type\$1 or object\$1) with cast\$3)) and (SAX or (simple adj api))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/22 09:25
S59	1	((base with schema) same ((extend\$3 or extension) with schema)) and ((abstraction with level\$1) or ((type\$1 or object\$1) with cast\$3)) and (validat\$3 adj parser\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/22 09:25
S60	1	((base with schema) same ((extend\$3 or extension) with schema)) and ((abstraction with level\$1) or ((type\$1 or object\$1) with cast\$3)) and (validat\$3 with parser\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/22 09:26
S61	40	((base with schema) same ((extend\$3 or extension) with schema)) and ((abstraction with level\$1) or ((type\$1 or object\$1) with cast\$3) or DOM\$2 or (document adj2 object adj2 model\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/22 09:27
S62	1	((base with schema) same ((extend\$3 or extension) with schema)) and ((abstraction with level\$1) or ((type\$1 or object\$1) with cast\$3) or DOM\$2 or (document adj2 object adj2 model\$1)) and (validat\$3 with pars\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/22 09:32

EAST Search History

S63	732628	((cast\$3 or typ\$3) with object\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/22 09:33
S64	557	((cast\$3 or typ\$3) with object\$1) and (base with (syntax\$2 or schema\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/22 09:34
S65	150	((cast\$3 or typ\$3) with object\$1) and (base with (syntax\$2 or schema\$1)) and (extend\$3 with (syntax\$2 or schema\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/22 09:35
S66	2	((cast\$3 or typ\$3) with object\$1) and (base with (syntax\$2 or schema\$1)) and (extend\$3 with (syntax\$2 or schema\$1)) and (("more-restrictive" or (more with restricti\$4)) with (syntax\$2 or schema\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/22 09:39
S67	1	("6462751").PN.	USPAT; USOCR	OR	OFF	2006/03/22 09:39
S68	1	S67 and ((typ\$3 or cast\$3) with object\$1)	USPAT	OR	OFF	2006/03/22 09:41
S69	0	S67 and ((typ\$3 or cast\$3) with object\$1) and (schema\$1 or syntax\$2)	USPAT	OR	OFF	2006/03/22 09:41
S70	1	(cast\$3 with objects with level\$1 with schema\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/31 12:40
S71	1	(cast\$3 with (object\$1 or event\$1) with level\$1 with schema\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/31 12:48
S72	284	(schema\$1 with exten\$4 with base\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/31 13:14

EAST Search History

S73	1	(schema\$1 with exten\$4 with base\$1) and (syntax with level\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/31 13:21
S74	116	(schema\$1 with exten\$4 with base\$1) and ((multiple\$1 or many or different) with schema\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/31 13:22
S75	1	(schema\$1 with exten\$4 with base\$1) and ((multiple\$1 or many or different) with schema\$1) and (validating with parser\$1 with abstract\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/31 13:24
S76	2	(schema\$1 with exten\$4 with base\$1) and ((multiple\$1 or many or different) with schema\$1) and (validating with parser\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/31 13:25
S77	36	(schema\$1 with exten\$4) and (validat\$3 with parser\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/31 13:29
S78	0	("20050154705").PN.	USPAT; USOCR	OR	OFF	2006/03/31 13:29
S79	1	("20050154705").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/03/31 13:29
S80	8	(schema\$1 with exten\$4) and (validat\$3 with parser\$1) and (abstract\$4 with level\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/31 13:45
S81	2	(schema\$1 with exten\$4) and (validat\$3 with parser\$1) and (extension with level\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/31 13:45

EAST Search History

S82	3	(schema\$1 with exten\$4) and (validat\$3 with parser\$1) and (extension\$1 with level\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/31 13:46
S83	17	(schema\$1 with exten\$4) and (validat\$3 with parser\$1) and (schema\$1 with level\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/31 13:46
S84	61	(validat\$3 with input\$3 with schema\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/03 10:13
S85	4	(validat\$3 with input\$3 with (schema\$1 or syntax\$2)) same ((generat\$3 or creat\$3 or produc\$3 or mak\$3 or determin\$3) with output\$3 with (schema\$1 or syntax\$2))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/03 10:22
S86	21	(validat\$3 with (schema\$1 or syntax\$2)) same ((generat\$3 or creat\$3 or produc\$3 or mak\$3 or determin\$3) with output\$3 with (schema\$1 or syntax\$2))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/03 10:23
S87	92	(first with syntax with level\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/04 11:23
S88	41	(first with syntax with level\$1) and (second with syntax with level\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/04 11:25
S89	6	((input\$1 or file\$1 or document\$1) with first with syntax with level\$1) and (second with syntax with level\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/04 11:25

EAST Search History

S90	3	((input\$1 or file\$1 or document\$1) with first with syntax with level\$1) and (output\$3 with second with syntax with level\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/04 11:24
S91	1	("20060031757").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/04/04 17:37
S92	888	(base with schema\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/05 08:32
S93	120	(base with schema\$1) and (validat\$3 with (input\$1 or XML or document\$1 or file\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/05 08:32
S94	51	(base with schema\$1) and (validat\$3 with (input\$1 or XML or document\$1 or file\$1)) and (schema\$1 with level\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/05 08:33
S95	50	(base with schema\$1) and (validat\$3 with (input\$1 or XML or document\$1 or file\$1)) and (schema\$1 with level\$1) and ((generat\$3 or creat\$3 or produc\$3 or mak\$3 or develop\$3) with (output\$3 or document\$1 or file\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/05 08:34
S96	15	(base with schema\$1) and ((validat\$3 with (input\$1 or XML or document\$1 or file\$1)) same ((generat\$3 or creat\$3 or produc\$3 or mak\$3 or develop\$3) with (output\$3 or document\$1 or file\$1))) and (schema\$1 with level\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/05 08:35
S97	7	(base with schema\$1) and ((validat\$3 with (input\$1 or XML or document\$1 or file\$1)) same ((generat\$3 or creat\$3 or produc\$3 or mak\$3 or develop\$3) with (output\$3 or document\$1 or file\$1))) and ((schema\$1 with level\$1) same (base with schema\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/05 08:48

EAST Search History

S98	71	(xml with extension\$1) and (base with schema\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/05 08:48
S99	47	(xml with extension\$1) and (base with schema\$1) and validat\$6 and pars\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/05 08:52
S10 0	31	(xml with extension\$1 with schema\$1) and (base with schema\$1) and validat\$6 and pars\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/05 08:56
S10 1	2	altova.as.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/05 08:56
S10 2	1	("6917935").PN.	USPAT; USOCR	OR	OFF	2006/04/06 09:50
S10 3	1	("20060075398").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/04/06 09:51
S10 4	0	("(castingadobject\$1)").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/04/06 09:52
S10 5	465	(casting adj object\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/06 09:52
S10 6	7	(casting adj object\$1) and syntax\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/06 10:05
S10 7	1	(casting adj object\$1) and syntax\$2 and restrictive	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/06 09:53

EAST Search History

S10 8	128	(casting with (type\$1 or object\$1)) and syntax\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/06 10:06
S10 9	18	(casting with (type\$1 or object\$1)) and (syntax\$2 with level\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/06 10:07
S11 0	16	(casting with (type\$1 or object\$1)) and (syntax\$2 with level\$1) and (bas\$3 with (syntax\$2 or level\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/06 10:08
S11 1	2	(casting with (type\$1 or object\$1)) and (syntax\$2 with level\$1) and (bas\$3 with (syntax\$2 or level\$1)) and (validat\$3 with input\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/06 10:24
S11 2	2	(casting with (type\$1 or object\$1)) and (syntax\$2 with level\$1) and (bas\$3 with (syntax\$2 or level\$1)) and (validat\$3 with input\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/06 10:09
S11 3	4	(casting with (type\$1 or object\$1)) and (syntax\$2 with level\$1) and xml	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/06 10:24